

Current Date 22Apr2016

319E COMPACT TRACK LOADER

319E Compact Track Loader Equipment for Base Machine Engine: Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm V-Plenum Cooling Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 21 Gallon (79 L) Fuel Tank Final Drive System and Brakes: Four Wheel Drive Axial Piston Hydrostatic Pump & Motor High Drive Double Planetary Reduction Gear Box Integral Automatic Wet-Disk Brake Spring Applied Hydraulic Release Grease Cylinder Undercarriage Track Tensioner Patented Smooth Ride Undercarriage: 4 triple flanged rollers 2 duel flanged idlers 12.6in (320 mm) Rubber **Tracks** Gauges and Instruments: Fuel Gauge **Engine Coolant Temperature** Operator Selectable LCD Digital Readout:

Hourmeter

Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes **Configuration Codes** Indicator Warning Lights: Battery Not Charging Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged Air Filter Restriction Hydraulic Oil Filter Restriction Lap Bar Switch Seat Switch Door Open Switch **Engine Preheat** Low Engine Oil Pressure Automatic Engine Preheat Electrical: 12-Volt Electrical Battery 750cca Alternator 70 Amp Halogen Work Lights, 2 Front and 1 Rear Programmable courtesy lighting shutoff system Hydraulics: 3-Spool Open Center Valve 15 gpm (57 L/m) Pump 5 Micron Hydraulic Filter 10w30 Engine Oil John Deere Boom and Bucket Cylinders with **Cushioned Boom** Connect-under-pressure auxiliary hydraulic couplers Loader Arm, Bucket, & Auxiliary Hydraulic Lockout System Auxiliary Hydraulics Lock-out

Rated Operating Capacity 2,150 lbs. (976 kg) Tipping Load 6,143 lbs. (2,789 kg)**Bucket Breakout Force** 6,000lbs. (2,724 kg) Boom Breakout Force 3.500lbs. (1,589 kg) Operator Protection/Comfort: FOPS / ROPS Roll-Guard with Side Screens In-Cab Boom Lockout System Adjustable Lap Bar Operator Presence System Interlocking Lap Bar and Retractable Seat Belt system Seat Switch & Lap Bar Interlocks for Loader Arm, Bucket, & Auxiliary Circuits Deluxe Headliner 12V power port Cell Phone cargo net storage Interior Dome Lighting Cup Holder Grab Handles for Easy Entry / Exit Top and Rear Windows Water Shedding Deluxe Seating Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited

Warranty Followed by a 2nd Year / 2,000 hour Powertrain

Hours Full Machine

plus Hydraulic

Coverage

Override

Boom Float Performance Characteristics:

Required - You must select one from each category

BASE MACHINE

F.O.B. Dubuque, Iowa

Code Description Price 8301T 319E COMPACT TRACK LOADER \$51,420.00

COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description Code Price 319E Standard Compact Track Loader 0800 In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls 0845 (\$8.00)

Package includes:

Foot Controls (0900) Single-Speed (1025)

Naturally Aspirated Engine (1305)

English Operator's Manual & Decals (1501)

Narrow Rubber Tracks (2500)

Standard Hydraulics (3000)

Less Ride Control (3101)

3 in. Seat Belt (4002)

Manual Quik-Tatch (5000)

Canopy - ROPS / FOPS (5200)

Seat (Vinyl) (6000)

Standard Fan Drive (6500)

Horn (6800)

Less EH Joystick Performance Package (7101)

Backup Alarm (8040)

Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with ISO Pattern EH Joystick Controls

0850 (\$364.00)

Package includes:

EH (ISO Pattern) Joystick Controls (0950)

Single-Speed (1025)

Naturally Aspirated Engine (1305)

English Operator's Manual & Decals (1501)

Narrow Rubber Tracks (2500)

Standard Hydraulics and Hydraulic Self-Leveling Up (3001)

Less Ride Control (3101)

3 in. Seat Belt (4002)

Manual Quik-Tatch (5000)

Canopy - ROPS / FOPS (5200)

Mechanical Suspension Seat (Vinyl) (6001)

Standard Fan Drive (6500)

Horn (6800)

Less EH Joystick Performance Package (7101)

Backup Alarm (8040)

Rear View Mirror (Interior Cab Mount) (8350)

(\$706.00)0855

Utility Package with Switchable EH Joystick Controls

Package includes:

Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)

Single-Speed (1025)

Naturally Aspirated Engine (1305)

English Operator's Manual & Decals (1501)

Narrow Rubber Tracks (2500)

Standard Hydraulics and Hydraulic Self-Leveling Up (3001)

Less Ride Control (3101)

3 in. Seat Belt (4002) Manual Quik-Tatch (5000)

Canopy - ROPS / FOPS (5200)

Mechanical Suspension Seat (Vinyl) (6001)

Standard Fan Drive (6500)

Horn (6800)

Less EH Joystick Performance Package (7101)

Backup Alarm (8040)

Rear View Mirror (interior cab mount) (8350)

Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with Foot Controls

0860 (\$616.00)

Package includes:

Foot Controls (0900)

Single-Speed (1025)

Naturally Aspirated Engine (1305)

English Operator's Manual & Decals (1501)

Narrow Rubber Tracks (2500)

Standard Hydraulics (3000)

Less Ride Control (3101)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)

Mechanical Suspension Seat (Vinyl) (6001)

Standard Fan Drive (6500)

Horn (6800)

Less EH Joystick Performance Package (7101)

Backup Alarm (8040)

Rear View Mirror (Interior Cab Mount) (8350)

Deluxe Cab Package with ISO Pattern EH Joystick Controls

0865

(\$1,111.00)

Package includes:

EH (ISO Pattern) Joystick Controls (0950)

Single-Speed (1025)

Naturally Aspirated Engine (1305)

English Operator's Manual & Decals (1501)

Narrow Rubber Tracks (2500)

Standard Hydraulics (3000)

Ride Control (3100)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)

Air Suspension Seat (Cloth) (6002)

Standard Fan Drive (6500)

Horn (6800)

Less EH Joystick Performance Package (7101)

Backup Alarm (8040)

Radio, AM/FM/WB with Aux Input (8340)

Rear View Mirror (interior cab mount) (8350)

Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with EH Switchable Joystick Controls

0870

(\$1,413.00)

Package includes:

Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)

Single-Speed (1025)

Naturally Aspirated Engine (1305)

Price

\$2,678.00

English Operator's Manual & Decals (1501)

Narrow Rubber Tracks (2500)

Standard Hydraulics (3000)

Ride Control (3100)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)

Air Suspension Seat (Cloth) (6002)

Standard Fan Drive (6500)

Horn (6800)

Less EH Joystick Performance Package (7101)

Backup Alarm (8040)

Chrome Exhaust (8225)

Radio, AM/FM/WB with Aux Input (8340)

Rear View Mirror (interior cab mount) (8350)

Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description
Engine - Turbocharged

Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA

emission standards.

Yanmar 4TNV98CT 3.3L

4 Cylinder Naturally Aspirated

69 Gross hp (51.7 kW)

66 Net hp (49.4 kW)

Engine - Naturally Aspirated

1305 \$1,512.00

Code

1301

Required for the United States. Not available for export to markets without ultralow sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98C 3.3L

4 Cylinder Naturally Aspirated

69 Gross hp (51.7 kW)

66 Net hp (49.4 kW)

Engine - Turbocharged

1310 In Base Price

Not available for the United States. This engine may only be used in markets that are not subject to current U.S. EPA or EU non-road emission regulations. This engine is certified to IT4 / Stage IIIA emissions.

Cold Start Required for Extreme High Altitude.

OPERATOR STATION

Description Canopy - ROPS / FOPS	Code 5200	Price In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,473.00
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00

Polycarbonate Front Door w/ Wiper and Glass Side Windows.

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

~	SEAT		
	Description	Code	Price
	Seat (Vinyl)	6000	(\$421.00)
	Mechanical Suspension Seat (Vinyl)	6001	In Base Price
	Air Suspension Seat (Cloth)	6002	\$452.00
	Vinyl, Air-Ride Seat	6003	\$452.00
_	SEAT BELTS		
	Description	Code	Price
	2-Inch Seat Belt	4000	In Base Price
	For use with Canopy - ROPS / FOPS (5200)		
	2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
	For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)		
	3-Inch Seat Belt	4002	\$164.00
	Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt For use with Canopy - ROPS / FOPS (5200)		
	3-Inch Seat Belt with Shoulder Harness	4003	\$379.00
_	CONTROLS		
	Description	Code	Price
	Foot Controls	0900	In Base Price
-	Hands Only Controls	0925	\$796.00
-	E-H (ISO Pattern) Joystick Controls	0950	\$2,565.00
-	EH (H Pattern) Joystick Controls	0975	\$2,778.00
	High Spring Efforts		
-	EH Foot and Joystick Controls	0980	\$3,894.00
_	Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$5,585.00
	Code 8395 Keyless Start (Sealed Switch Module) is required.		
	Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.		
	Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
~	JOYSTICK PERFORMANCE		
	Description	Code	Price

	EH Joystick Performance Package	7100	\$798.00
	Code 8395 Keyless Start (Sealed Switch Module) is required.		
	Switchable control patterns between ISO and H (If ordered with code 0950 or		
	0975) Selectable propel aggressiveness		
	Creeper Mode Boom and Bucket speed settings		
-	12V 3 Pin and 14 Pin Attachment Control Harness		
_	Less EH Joystick Performance Package	7101	In Base Price
_	TRANSMISSION		
	Description	Code	Price
	Single-Speed	1025	In Base Price
~	HYDRAULIC OPTIONS		
	Description	Code	Price
	Standard Hydraulics	3000	In Base Price
	Pump Flow = 15 gpm.		
	Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
	Pump Flow = 15 gpm		
	Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
~	RIDE CONTROL		
	Description	Code	Price
	Ride Control	3100	\$995.00
	Code 8395 Keyless Start (Sealed Switch Module) is required.		
	Less Ride Control	3101	In Base Price
~	QUIK-TATCH		
	Description	Code	Price
	Manual Quik-Tatch	5000	In Base Price
	Power Quik-Tatch	5001	\$724.00
_	COOLING FAN		
	Description	Code	Price
	Standard Fan Drive	6500	In Base Price
-	Reversing Fan Drive	6501	\$830.00
~	HORN		
	Description	Code	Price

	Horn	6800	\$140.00
_	Less Horn	6801	In Base Price
_	TRACKS		
	Description	Code	Price
	Narrow Offset Block Lug Rubber Tracks - 12.6 in.	2500	In Base Price
	Gives 71.5 in. CTL width.		
	Narrow Zig-Zag Bar Track - 12.6 in.	2550	\$200.00
_	OPERATOR MANUAL & DECALS		
	Description	Code	Price
	English Operator's Manual & Decals	1501	No Charge
	For use with FT4 Engine		
	English Operator's Manual & Decals for Canada	1502	No Charge
	Canada only For use with IT4/Stage IIIB Engine		
	English Operator's Manual & No Text Decals	1503	No Charge
	Not for Canada For use with IT4/Stage IIIB Engine		
	French Operator's Manual & Decals	1510	No Charge
	For use with FT4 Engine		
	French Operator's Manual & Decals for Canada	1511	No Charge
	Canada only For use with IT4/Stage IIIB Engine		
	French Operator's Manual & No Text Decals	1512	No Charge
	Not for Canada For use with IT4/Stage IIIB Engine		
	Spanish Operator's Manual & Decals	1515	No Charge
	For use with FT4 Engine		
	Spanish Operator's Manual & No Text Decals	1516	No Charge
	Not for Canada For use with IT4/Stage IIIB Engine		
Opt	ional - Select as desired		
₩	KITS AND ACCESSORIES - FACTORY INSTALLED		
	Description	Code	Price
	Backup Alarm	8040	\$105.00
		8045	\$55.00

Battery, Heavy Duty, 925cca

Not for use with Cold Start Package (8050)		
Cold Start Package	8050	\$303.00
Includes Battery, Heavy Duty, 925cca (8045), Block Heater, and Hydraulic Pump Unloader. (110 volt)		
Cold Start Package	8051	\$303.00
Includes Hydraulic Bypass, and Block Heater. (220 volt)		
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00
Counterweight, Stackable (Single Set)	8300	\$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		
Radio, AM/FM/WB with Aux Input	8340	\$540.00
For use with enclosed cab only: codes 5204 & 5205		
Rear View Mirror (Interior cab mount)	8350	\$90.00
HD Rear Grille	8370	\$486.00
Provides protection to cooling package.		
Foot Rest with Floormat	8380	\$144.00
For use with Hand Controls (0925), E-H Joystick Controls (0950), or E-H Joystick Controls with Attachment Control and E-H Performance Package (0975) only		
Floormat	8390	\$122.00
For use with Hand Controls (0925), E-H Joystick Controls (0950), or E-H Joystick Controls with Attachment Control and E-H Performance Package (0975) only		
Switchable Accelerator / Decelerator	8392	\$237.00
Turns existing foot throttle in to a decelerating pedal.		
Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).		

	Keyless Start (Sealed Switch Module)	8395	\$399.00
-	BUCKETS:		
	See Attachments for Multi-Purpose Buckets		
	Description	Code	Price
	72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,030.00
	72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,231.00
	72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,231.00
	72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,065.00
	72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,252.00
	76 in. HD Construction Bucket (18.5 cu. ft.)	9045	\$1,096.00
	76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	\$1,319.00
	76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	\$1,322.00
F	EXPORT CODES		
	Description	Code	Price
	Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge
7	SPECIAL EQUIPMENT - ORDER AS DESIRED		
	Description	Code	Price
	Rust Preventative	9909	\$160.00
	Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		
,	DEALER-INSTALLED KITS		
	Description	Code	Price
_	Buckets:		
	72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
	72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
	72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
_	72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00
	72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
_			+ . , 0 0 0 . 0 0
_	72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,252.00
_		KV24756 AT329506	

76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00
Includes 66", 72", 76", and 78" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
Includes 72", 76", 78", and 84" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
Cutting Edges:		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
Kits and Accessories:		
12 Volt Demonstration Kit	KV21995	\$308.00
3-pin connector		
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	\$883.00
Attachment Control Kit	AT427985	\$728.00
For S/N 288041 and below. For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		
Attachment Control Kit	AT454477	\$721.00
For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.		
Backup Alarm	AT348451	\$204.00
For use with EH Controls (0950) or (0975)		
Backup Alarm (Foot, Hand Controls)	AT348456	\$204.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Beacon Warning Light	AT431920	\$320.00
Block Heater Kit	AT427686	\$112.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed		
Cold Start Package	AT432105	\$355.00
	AT348835	\$356.00

Counterweight, Stackable (Single Set)

Includes 2 - 86 lb weights (39 Kg)		
EH Joystick Performance Package	AT427988	\$593.00
Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package		
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode		
Boom and Bucket speed settings	4.7.40.50.40	
Engine Air Pre-Cleaner Kit	AT425360	\$457.00
For use with FT4 Naturally Aspirated Engine (Order code 1305)		
Engine Air Pre-Cleaner Kit	AT425361	\$457.00
For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310		
Field Kit, Reversing Fan	AT413072	\$964.00
For S/N 269401 and below.		
Field Kit, Reversing Fan	AT448244	\$834.00
For S/N 269402 and above.		
Foot Throttle Removal Kit	AT374642	\$51.00
HD Rear Grille	AT398389	\$593.00
Provides protection to cooling package		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT348484	\$152.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Horn	AT339797	\$115.00
For use with EH Controls (0950) or (0975)		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	\$152.00
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
SMV Sign	AT427982	\$77.00
	AT417602	\$3,107.00

Severe Duty Door

Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models. S/N 269401 and below.

Severe Duty Door	AT446334	\$3,076.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications. S/N 269402 and above.		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,540.00
Standard Door, Field Kit	AT425132	\$1,030.00
S/N 269401 and below.		
Standard Door, Field Kit	AT446335	\$1,030.00
S/N 269402 and above.		
Miscellaneous:		
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment:		
Trim Elbow Pad Field Kit	AT417600	\$28.00
Tooth Bars:		
72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00

REFERRAL ATTACHMENTS

Description Code Price

G.R. Mfg.:

G.R. Manufacturing, Inc.

- * Kits listed below must be ordered through John Deere.
- * F.O.B. Trussville, Alabama
- * All kits include installation instructions
- * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Auxiliary Hydraulic Line Quick Coupler	AT437326	\$180.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Guard, Bucket Cylinder Rod	AT406620	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Lift Cylinder Hose Guards	AT437325	\$320.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Grille Guard w/o Side Bumpers	AT437324	\$980.00
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |